



X-Act ROM Elbow

ORDERING INFORMATION

PART NUMBER	DESCRIPTION	SIZE
11-9121	X-Act ROM Elbow Brace, Right	Universal
11-9122	X-Act ROM Elbow Brace, Left	Universal

ACCESSORIES

25-6753	Shoulder Sling	Universal
25-6757	ComfortForm Replacement Pad Kit	Universal
25-6758	Elbow Strap Replacement Kit	Universal
25-6755	Brace Lock Kit	Universal
25-6756	Pronation / Supination Kit	Universal

DJO Global | 1a Guildford Business Park | Guildford | Surrey | GU2 8XG | ENGLAND

www.DJOglobal.eu



Together in Motion™

DONJOY[®]

Performance & Lifestyle

X-Act ROM Elbow

Precise protection.



X-Act ROM Elbow

The X-Act ROM Elbow brace is a versatile, easy to apply, comfortable telescoping brace, allowing for fixed or protected range of motion to help improve patient outcomes.

The lightweight open design, the Telefit mechanism, the malleable aluminium cuffs and the plush padded liners, all contribute to providing optimal fit and comfort during rehabilitation.

Indications

- Provides fixed or range of motion control post-injury or post-operative procedure to the elbow
- Stable fractures
- Biceps repair
- Mild to severe soft tissue injuries



New Features

Easy, shape-to-fit malleable bicep and forearm aluminium cuffs contour to the anatomy for a custom fit and minimal application time.



Easy to adjust telefit sliding cuffs for quick length adjustment and customized, precise fit.



Snap-to-fit buckles for faster fit.



The X-Act Rom Elbow brace is delivered flat for quick and easy application. Unique anti-migration material is integrated into thermoformed pads.



Quick-clip Buckles for Ease of Application

- The swivel action quick-clip buckles attach easily, single-handedly, and provide a close-fitting contour around the arm

Tele-Fit Mechanism for Custom Fit

- Allows independent length adjustment of the proximal and distal straps, making the X-Act Rom Elbow a universal fit
- Telescoping adjustability from 36 cm to 46 cm (14 ¼" to 18 ¼") to accommodate a variety of patients' sizes
- All 4 cuffs telescope independently allowing for a more precise fit on any size patient, without impingement



Durable Aluminium Hinge for Precise Protection

- The new, streamlined, durable lateral aluminium hinge maximizes protection and minimizes brace weight.
- User friendly settings provide precise range of motion control:
 - Flexion settings from -10° to 120° in 10° increments
 - Extension settings from -10° to 90° in 10° increments
 - Easy Quick-lock from 0° to 90° in 15° increments

Padded Cuff Liners for Maximum Comfort

- Unique semi rigid thermoformed & moldable liners with anti-migration properties provide increased contact between the skin and brace
- Plush ComfortForm™ padding maximizes comfort for long-term wear, encouraging patient compliance

